

INNOVATIVE ACOUSTIC BOOTHS

EN



Version 2.0

EXPAND YOUR PORTFOLIO

Classic line



Soundproof phone booth for 1 person



Soundproof phone booth for 1 person



Soundproof work booth for 1 person



Soundproof work booth for 2 people



Soundproof meeting booth for up to 4 people



Soundproof meeting booth for up to 8 people

Organic line



Soundproof phone booth for 1 person



Soundproof phone booth for 1 person



Soundproof phone booth for 1 person

Phone booth

Soundproof phone booth
for one person



Phone booth

A BOX WHERE CREATIVITY CAN GO WILD

Phone booth is a modern acoustic booth designed for one person. Its simple and timeless design fits perfectly into any office environment.

We encourage you to use our booths to ensure peace and quiet during your phone calls, video conferences, or focused work sessions.



Indirect Lighting



LED




Ventilation



Socket



Table



Door handle

Phone booth

Exterior dimensions	102 x 102 x 226 cm (W x D x H)
Interior dimensions	94 x 96 x 200 cm (W x D x H)
Table	Surface: 30 x 75 cm (t, b) Table height (of table top): 105 cm
Weight	Gross weight (with packaging on pallet): 330kg Net weight: 280kg
Minimum room height for installation	240 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Control panel	The motion sensor is activated when you enter the box. The user can regulate the intensity of the lighting and ventilation via the control panel (2x dimmer). The ventilation runs for 8 minutes after leaving the box. All the air inside the cabin is renewed in this way. The lighting also remains switched on during this time.
Lighting	Direct lighting: LED strip: 80 cm Color temperature: 4000K Indirect lighting: LED strip: 210 cm Color temperature: 4000K
Ventilation	Ventilation rate: 4.6 m ³ / minute Two fans are installed in the floor module. Two fans are installed in the ceiling module.
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 1x Type F socket, 1x USB A, 1x USB-C CH: 1x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 1x Type E socket, 1x USB A, 1x USB-C DK: 1x Type K socket
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 60W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Phone booth

Exterior color




White
RAL 9016



Anthracite
RAL 7021

Aluminium frame and door accessories (including door handle and door hinges)



Black
RAL 9005

Interior made of recycled PET felt



Coffee



Light Grey



Grey (Standard)

Carpet




Black

Table

Table

Side of table



White /
Anthracite



Oiled birch
plywood


Phone booth

ONE MODEL. MANY DESIGN OPTIONS.

Configuration



Options



Moving-Kit



Ethernet



Monitor bracket



Balance stool



Phone booth

Soundproof phone booth
for one person



Phone booth

SIT BACK, RELAX, AND FOCUS

It`s a modern phone booth for one person and a great alternative for those seeking more comfort.

Phone booth features a larger table and a cozy sofa, making it ideal for collaborative work or relaxed meetings.



Indirect Lighting



LED



Ventilation



Socket



Table



Sofa

Phone booth

Exterior dimensions	102 x 102 x 226 cm (W x D x H)
Interior dimensions	94 x 96 x 200 cm (W x D x H)
Table	Surface: 83 x 39 cm (W x D) Table height (of table top): 73 cm
Weight	Gross weight (with packaging on pallet): 330kg Net weight: 280kg
Minimum room height for installation	240 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Control panel	The motion sensor is activated when you enter the box. The user can regulate the intensity of the lighting and ventilation via the control panel (2x dimmer). The ventilation runs for 8 minutes after leaving the box. All the air inside the cabin is renewed in this way. The lighting also remains switched on during this time.
Lighting	Direct lighting: LED strip: 80 cm Color temperature: 4000 Indirect lighting: LED strip: 210 cm Color temperature: 4000K
Ventilation	Ventilation rate: 4.6 m ³ / minute Two fans are installed in the floor module. Two fans are installed in the ceiling module.
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 1x Type F socket, 1x USB A, 1x USB-C CH: 1x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 1x Type E socket, 1x USB A, 1x USB-C DK: 1x Type K socket
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 60W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Phone booth


Exterior color



White RAL 9016 Anthracite RAL 7021


Aluminium frame and door accessories

(including door handle and door hinges)



Black RAL 9005

Middle console color



White RAL 9016 Anthracite RAL 7021

Interior made of recycled PET felt



Coffee

Light Grey

Grey (Standard)


Carpet



Black

Table

Tabletop



White/
Anthracite

Side of table



Oiled
birch plywood

Sofa



Coffee



Light Grey



Grey (Standard)



More colors available
on box17.com/sofa


Phone booth

ONE MODEL. MANY DESIGN OPTIONS.

Color



Options



Moving-Kit



Ethernet



Monitor bracket



Work booth

Soundproof booth for one or two,
perfect for focused work and collaboration



Work booth

VERSATILE SPACE FOR EVERY NEED

A private office designed for focused work in a soundproof environment

Experience privacy in the workspace and enjoy being more productive. Work booth is your personal comfy corner.



Indirect Lighting



LED



Ventilation



Power



Table



Door handle

Work booth

WORK SETUP

Work setup offers a private, soundproof workspace ideal for one person. Equipped with a comfortable desk and chair, it's perfect for focused work, video calls, or quiet reflection. This compact booth provides all the amenities of a personal office, including excellent acoustics and optimal ventilation.



STAND SETUP

The standing version of Work booth comfortably accommodates up to two people. It's ideal for quick meetings, collaborative work, or those who prefer a standing desk setup. Enjoy the flexibility of a larger space while maintaining the privacy and acoustic benefits of our soundproof design.



Work booth

Exterior dimensions	164 x 120 x 226 cm (W x D x H)
Interior dimensions	157 x 114 x 204 cm (W x D x H)
Table	Work option Electrically height-adjustable table frame in one stroke. Adjustable from 71-120 cm. Table top 104 x 60 cm (w, d) Stand option Height-adjustable desk mounted in centre console Adjustable from 80-120 cm. Table top: 45 x 46 cm (w, d)
Weight	Gross weight (with packaging on pallet): 470 kg Net weight: 420 kg
Minimum room height for installation	240 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Control panel	The motion sensor is activated when you enter the box. The user can regulate the intensity of the lighting and ventilation via the control panel (2x dimmer). The ventilation runs for 8 minutes after leaving the box. All the air inside the cabin is renewed in this way. The lighting also remains switched on during this time.
Lighting	Direct lighting: 2x LED strip: each 80 cm Color temperature: 4000K Indirect lighting: LED strip: 450 cm Color temperature: 4000K
Ventilation	Ventilation rate: 9.2 m ³ / minute Two fans are installed in the floor module. Two fans are installed in the ceiling module.
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 2x Type F socket, 1x USB A, 1x USB-C CH: 2x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 2x Type E socket, 1x USB A, 1x USB-C DK: 2x Type K socket
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 100W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Work booth

Exterior color




White
RAL 9016



Anthracite
RAL 7021

Aluminium frame and door accessories (including door handle and door hinges)



Black
RAL 9005

Interior made of recycled PET felt



Coffee




Light Grey



Grey (Standard)


Carpet



Black


Table

Table



White /
Anthracite

Side of table



Oiled birch
plywood


Work booth

ONE MODEL. MANY DESIGN OPTIONS.

Configuration



Options



Moving-Kit



Ethernet



Meeting booth

Soundproof meeting booth
for four people



Meeting booth

A BOX WHERE CREATIVITY CAN FLOW FREELY

It`s a modern meeting booth that can accommodate up to four people. It's simple and timeless design fits perfectly into any office environment.

Meeting booth allows you to hold meetings and video conferences in a confidential and secure environment. Our compact and flexible meeting booth is specially designed to meet the requirements of modern projects.



Indirect Lighting



LED



Ventilation



Interior



Table




Sofa

Meeting booth

Exterior dimensions	220 x 120 x 226 cm (W x D x H)
Interior dimensions	214 x 114 x 204 cm (W x D x H)
Table	Surface: 54 x 80 cm (t, b) Height: 74 cm
Weight	Gross weight (with packaging on pallet): 650 kg Net weight: 600 kg
Minimum room height for installation	240 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Ventilation	Ventilation rate: 9.2 m ³ / minute Four fans are installed in the floor module. Four fans are installed in the ceiling module.
Motion sensor control	Ventilation continues for 8 minutes after leaving the box. The entire air within the cabin is renewed. The lighting remains on during this time.
Lighting	Direct lighting: 2x LED strip: each 100 cm Color temperature: 4000K Indirect lighting: LED strip: 500 cm Color temperature: 4000K
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 2x Type F socket, 1x USB A, 1x USB-C CH: 2x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 2x Type E socket, 1x USB A, 1x USB-C DK: 2x Type K socket, 1x USB A, 1x USB-C
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 100W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Meeting booth


Exterior color



White RAL 9016 Anthracite RAL 7021

Aluminium frame and door accessories

(including door handle and door hinges)



Black RAL 9005

Middle console color



White RAL 9016 Anthracite RAL 7021

Interior made of recycled PET felt



Coffee

Light Grey

Grey (Standard)


Carpet



Black

Table

Tabletop




White/
Anthracite

Side of table



Oiled
birch plywood

Sofa



Coffee

Light Grey

Grey (Standard)

More colors available
on box17.com/sofa


Meeting booth

ONE MODEL. MANY DESIGN OPTIONS.

Configuration




Options



Moving-Kit



Ethernet



Monitor bracket



Meeting booth

Modular soundproof booth,
expandable for any need



Meeting booth

SPACIOUS SOLUTIONS FOR DYNAMIC TEAMS

A modern, modular meeting booth designed for up to 8 people, with the flexibility to extend as needed. Its spacious and timeless design seamlessly integrates into any office landscape.

In Meeting booth, you can hold meetings and video conferences in a protected and private environment. This versatile booth is space-saving and can be customized to accommodate the demands of modern collaborative projects, allowing you to expand it as your needs grow.



Interior



LED




Ventilation

Meeting booth

MODULAR SETUP

A unique modular design, allowing you to start with a spacious basic booth and add segments (90 cm each) for tailored solutions.



Meeting booth

Exterior dimensions	240 x 180 x 226 cm (W x D x H)
Interior dimensions	225 x 164 x 204 cm (W x D x H)
Weight	Net weight: 1400kg
Minimum room height for installation	260 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Control panel	The motion sensor is activated when you enter the box. The user can regulate the intensity of the lighting and ventilation via the control panel (2x dimmer). The ventilation runs for 8 minutes after leaving the box. All the air inside the cabin is renewed in this way. The lighting also remains switched on during this time.
Lighting	Direct lighting: 4x LED strip: each 75 cm Color temperature: 4000K
Ventilation	Ventilation rate: 18.4 m ³ / minute Two fans are installed in the floor module. Two fans are installed in the ceiling module.
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 2x Type F socket, 1x USB A, 1x USB-C CH: 2x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 2x Type E socket, 1x USB A, 1x USB-C DK: 2x Type K socket
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 60W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Meeting booth

Exterior color




White
RAL 9016



Anthracite
RAL 7021

Aluminium frame and door accessories (including door handle and door hinges)



Black
RAL 9005

Interior made of recycled PET felt



Coffee




Light Grey



Grey (Standard)

Carpet



Black

Meeting booth

ONE MODEL. MANY DESIGN OPTIONS.

Configuration



Options



Ethernet



Monitor bracket



Phone booth

Soundproof phone booth
for one person



Phone booth

NATURE-INSPIRED DESIGN FOR MODERN WORKSPACES

A modern, modular phone booth for one person, featuring a unique organic shape that can be customized. Its innovative design integrates seamlessly into any office landscape.

In the Phone booth, you can make private calls and focus on work in a soundproof environment, adapting its shape to meet your workspace's aesthetic needs.



Control panel



LED



Ventilation



Interior




Table




Configuration options


Phone booth



Curved, spacious design for a cozy, private atmosphere



Sleek, circular top for a modern, minimalist look



Peaked roof shape for a homey, familiar feel

Phone booth

Exterior dimensions	110 x 108 x 226 cm (W x D x H)
Interior dimensions	96 x 98 x 200 cm (W x D x H)
Table	Surface: 75 x 30 cm (W x D) Table height (of table top): 105 cm
Weight	Gross weight (with packaging on pallet): 390kg Net weight: 340kg
Minimum room height for installation	240 cm with regular tools
Minimum space for installation	Minimum 40 cm space is required on each side for assembly. A minimum of 110 cm is required to the front.
Control panel	The motion sensor is activated when you enter the box. The user can regulate the intensity of the lighting and ventilation via the control panel (2x dimmer). The ventilation runs for 8 minutes after leaving the box. All the air inside the cabin is renewed in this way. The lighting also remains switched on during this time.
Lighting	1x Häfele Spotlight
Ventilation	Ventilation rate: 4.6 m ³ / minute Two fans are installed in the floor module. Two fans are installed in the ceiling module.
Electrics	Connection of the box via 3m power cable. Socket configuration will be adapted to the usual country configuration. DE, AT, NL: 1x Type F socket, 1x USB A, 1x USB-C CH: 1x Type J socket, 1x USB A, 1x USB-C FR, BE, LUX: 1x Type E socket, 1x USB A, 1x USB-C DK: 1x Type K socket
Door alignment	DIN left (standard) or DIN right possible.
Power consumption	Standby: 2W Active: 15W
Configuration	Special configurations are available on request
Warranty	5-year spare parts warranty

Phone booth

Exterior color



White
RAL 9016



Anthracite
RAL 7021

Interior made of recycled PET felt



Coffee



Light Grey



Grey (Standard)

Exterior made of recycled PET felt



Coffee



Light Grey



Grey (Standard)


Carpet



Black


Table

Table



White /
Anthracite

Side of table



Oiled birch
plywood


Phone booth

ONE MODEL. MANY DESIGN OPTIONS.

Configuration



Options



Moving-Kit



Ethernet



Monitor bracket

JOIN OUR GROWING NETWORK

TRUSTED BY

SIEMENS



Cartier

